

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An odor trap for a waterless or low-flush urinal with a basin-shaped housing which is connected on an upper end to an inlet and on a lower end to an outlet that leads to a drain line, with a siphon that prevents the passage of gas from the outlet to the inlet, wherein a siphon insert has an overflow pipe with an overflow edge, and deodorizing means which is entirely located underneath the inlet and above said overflow edge in an essentially dry area of the odor trap, ~~said essentially dry area remaining essentially dry during any flushing operation~~ wherein the deodorizing means is not exposed to a flow of liquid, and wherein the deodorizing means odorizes the air underneath the inlet in said essentially dry area.

2. (previously presented): The odor trap according to claim 1, wherein the deodorizing means is a deodorizing insert.

3. (original): The odor trap according to claim 2, wherein the deodorizing insert is located under a cover.

4. (original): The odor trap according to claim 2, wherein the deodorizing insert is a solid body.

5. (original): The odor trap according to claim 4, wherein the solid body is a deodorizing block.

6. (original): The odor trap according to claim 2, wherein the deodorizing insert sits on a screen.

7. (original): The odor trap according to claim 6, wherein the screen, on its underside, has backwater means, by which ascending odors can be deflected outwardly.

8. (original): The odor trap according to claim 3, wherein the outside of the deodorizing insert, together with the cover, form a circulation space for un-deodorized air.

9. (previously presented): The odor trap according to claim 2, wherein the deodorizing insert is held in place by fins on a cover.

10. (previously presented): The odor trap according to claim 1, further including a downwardly extending inlet pipe located underneath the inlet.

11. (previously presented): The odor trap according to claim 10, wherein the inlet pipe has a mouth on the lower end, below which there is an upwardly curving wall of a dip tube.

12. (original): The odor trap according to claim 1, wherein below the inlet there are circulation openings through which ascending air can circulate.

13. (previously presented): The order trap according to claim 2, wherein the deodorizing insert is located in a replaceable siphon insert.

14. (original): The odor trap according to claim 1, wherein the inlet is located in a collecting basin which is inserted into a urinal basin.

15. (previously presented): The odor trap according to claim 14, wherein the siphon insert is located on the underside of the collecting basin, which forms a replaceable unit with the collecting basin.

16. (withdrawn): A siphon insert for an odor trap of a waterless or low-flush urinal with a basin-shaped housing connected on an upper end to an inlet and on a lower end to an outlet that leads to a drain line, with a siphon that prevents the passage of gas from the outlet to the inlet, wherein the siphon insert is a deodorizing insert positioned in an upper and essentially dry area of the housing.

17. (withdrawn): The siphon insert according to claim 16, wherein the deodorizing insert is located underneath a cover.

AMENDMENT UNDER 37 C.F.R. § 1.111
Application No.: 10/801,727

Attorney Docket No.: Q84256

18. (withdrawn): The siphon insert according to claim 16, wherein the deodorizing insert sits on a screen.